



SN-SSN 300 Series




☆ SN 或 SSN300 系列，訂購時請註明大小孔 d0 和 d 的 (shaft) 直徑，以及底座螺絲孔 2 孔或 4 孔 (可參考 SSN 500 系列之螺絲孔)。



Housing No.	Shaft Dia.			D	a	b	c	g	h	L	w	m	n	S		Bearing No.		Lock Nut	Lock Washer	Felt		ZF Seal		Locating Ring	
	d	d0	d1											2 Bolt	4 Bolt	Self-Alig. Ball	Spherical Roller			D0	d1	d0	D1	Number	Q,ty
SN 307	35	30	45	80	205	60	25	41	60	90	110	170		M12	--	1307 2307		AN07	AW07	FS07	FS10	ZF07	ZF10	SR 80×10 SR 80×10	2 1
SN 308	40	35	50	90	205	60	25	43	60	95	115	170		M12	--	1308 2308	21308 22308	AN08	AW08	FS08	FS11	ZF08	ZF11	SR 90×10 SR 90×10	2 1
SN 309	45	40	55	100	255	70	28	46	70	105	130	210		M16	--	1309 2309	21309 22309	AN09	AW09	FS09	FS12	ZF09	ZF12	SR 100×10.5 SR 100×10	2 1
SN 310	50	45	60	110	255	70	30	50	70	115	135	210		M16	--	1310 2310	21310 22310	AN10	AW10	FS10	FS13	ZF10	ZF13	SR 110×11.5 SR 110×10	2 1
SN SSN 311	55	50	65	120	275	80	30	53	80	120	150	230	40	M16	M12	1311 2311	21311 22311	AN11	AW11	FS11	FS15	ZF11	ZF15	SR 120×12 SR 120×10	2 1
SN SSN 312	60	55	70	130	280	80	30	56	80	125	155	230	40	M16	M12	1312 2312	21312 22312	AN12	AW12	FS12	FS16	ZF12	ZF16	SR 130×12.5 SR 130×10	2 1
SN SSN 313	65	60	75	140	315	90	32	58	95	130	175	260	50	M20	M16	1313 2313	21313 22313	AN13	AW13	FS13	FS17	ZF13	ZF17	SR 140×12.5 SR 140×10	2 1
SN SSN 315	75	65	85	160	345	100	35	65	100	140	195	290	50	M20	M16	1315 2315	21315 22315	AN15	AW15	FS15	FS19	ZF15	ZF19	SR 160×14 SR 160×10	2 1
SN SSN 316	80	70	90	170	345	100	35	68	112	145	212	290	50	M20	M16	1316 2316	21316 22316	AN16	AW16	FS16	FS20	ZF16	ZF20	SR 170×14.5 SR 170×10	2 1
SN SSN 317	85	75	95	180	380	110	40	70	112	155	218	320	60	M24	M16	1317 2317	21317 22317	AN17	AW17	FS17	FS21	ZF17	ZF21	SR 180×14.5 SR 180×10	2 1
SN SSN 318	90	80	100	190	400	110	33	74	112	160	230	320	60	M24	M16	1318 2318	21318 22318	AN18	AW18	FS18	FS22	ZF18	ZF22	SR 190×15.5 SR 190×10	2 1
SN SSN 319	95	85	110	200	420	120	36	77	125	170	245	350	70	M24	M16	1319 2319	21319 22319	AN19	AW19	FS19	FS24	ZF19	ZF24	SR 200×16 SR 200×10	2 1
SN SSN 320	100	90	115	215	420	120	38	83	140	175	280	350	70	M24	M16	1320 2320	21320 22320	AN20	AW20	FS20	FS26	ZF20	ZF26	SR 215×18 SR 215×10	2 1
SN SSN 322	110	100	125	240	460	130	40	90	150	190	300	390	70	M24	M16	1322 2322	22322	AN22	AW22	FS22	FS28	ZF22	ZF28	SR 240×20 SR 240×10	2 1
SN SSN 324	120	110	135	260	540	160	50	96	160	205	325	450	90	M30	M20	--	22324	AN24	AW24	FS24	FS30	ZF24	ZF30	SR 260×10	1
SN SSN 326	130	115	150	280	560	160	50	103	170	215	350	470	90	M30	M20	--	22326	AN26	AW26	FS26	FS34	ZF26	ZF34	SR 280×10	1
SN SSN 328	140	125	160	300	630	170	55	112	180	235	375	520	90	M30	M20	--	22328	AN28	AW28	FS28	FS36	ZF28	ZF36	SR 300×10	1
SN SSN 330	150	135	170	320	680	180	55	118	190	245	395	560	90	M30	M20	--	22330	AN30	AW30	FS30	FS38	ZF30	ZF38	SR 320×10	1
SN SSN 332	160	140	180	340	710	190	60	124	200	255	415	580	100	M36	M24	--	22332	AN32	AW32	FS32	FS40	ZF32	ZF40	SR 340×10	1


SN-SSN 500 Series



1. Unless specified "B" type open housing will be supplied.
訂購時未註明"A：一邊封閉"，一律以"B：貫通型"供應。
2. For heavy duty application, SSN is recommended
Specify 2 or 4 bolt holes. 訂購 SSN 請註明底座螺絲孔 2 孔或 4 孔。

Housing No.	Shaft Dia. d1		D	a	b	c	g	h	L	w	m	n	Z	f1	d2	d3	X	L1	L2	S		Bearing No.		Adapter Sleeve		Locating Ring	
	mm	Inch																		2 Bolt	4 Bolt	Self-Alig. Ball	Spherical Roller	Metric	Imperial	Number	Q,ty
SN 506	25	1	62	185	52	22	30	50	77	90	150	--	--	4	26.5	38	22	--	--	M12	--	1206 K 2206 K	22206 K	H 206 H 306	HE 206 HE 306	SR 62×7 SR 62×10	2 1
SN 507	30	1 1/8	72	185	52	22	33	50	82	95	150	--	--	4	31.5	43	24	--	--	M12	--	1207 K 2207 K	22207 K	H 207 H 307	HE 207 HE 307	SR 72×8 SR 72×10	2 1
SN 508	35	1 1/4	80	205	60	25	33	60	85	110	170	--	--	4	36.5	48	26	--	--	M12	--	1208 K 2208 K	22208 K	H 208 H 308	HE 208 HE 308	SR 80×7.5 SR 80×10	2 1
SN SSN 509	40	1 1/2	85	205	60	25	31	60	85	112	170	30	50	4	41.5	53	28	90	144	M12	M10	1209 K 2209 K	22209 K	H 209 H 309	HE 209 HE 309	SR 85×6 SR 85×8	2 1
SN SSN 510	45	1 3/4	90	205	60	25	33	60	90	115	170	30	53	4	46.5	58	28	95	150	M12	M10	1210 K 2210 K	22210 K	H 210 H 310	HE 210 HE 310	SR 90×6.5 SR 90×10	2 1
SN SSN 511	50	2	100	255	70	28	33	70	95	130	210	35	54	5	51.5	67	30	100	160	M16	M12	1211 K 2211 K	22211 K	H 211 H 311	HE 211 HE 311	SR 100×6 SR 100×8	2 1
SN SSN 512	55	2 1/8	110	255	70	30	38	70	105	135	210	35	62	5	56.5	72	32	110	172	M16	M12	1212 K 2212 K	22212 K	H 212 H 312	HE 212 HE 312	SR 110×8 SR 110×10	2 1
SN SSN 513	60	2 1/4	120	275	80	30	43	80	110	150	230	40	62	5	62	77	36	115	172	M16	M12	1213 K 2213 K	22213 K	H 213 H 313	HE 213 HE 313	SR 120×10 SR 120×12	2 1
SN SSN 515	65	2 1/2	130	280	80	30	41	80	115	155	230	40	68	5	67	82	38	120	182	M16	M12	1215 K 2215 K	22215 K	H 215 H 315	HE 215 HE 315	SR 130×8 SR 130×10	2 1
SN SSN 516	70	2 3/4	140	315	90	32	43	95	120	175	260	50	68	6	72	89	40	125	184	M20	M16	1216 K 2216 K	22216 K	H 216 H 316	HE 216 HE 316	SR 140×8.5 SR 140×10	2 1
SN SSN 517	75	3	150	320	90	32	46	95	125	185	260	50	70	6	77	94	42	130	184	M20	M16	1217 K 2217 K	22217 K	H 217 H 317	HE 217 HE 317	SR 150×9 SR 150×10	2 1
SN SSN 518	80	3 1/4	160	345	100	35	62.4	100	145	195	290	50	81	6	82	99	50	150	204	M20	M16	1218 K 2218 K	22218 K 23218 K	H 218 H 318 H 2318	HE 218 HE 318 HE 2318	SR 160×16.2 SR 160×11.2 SR 160×10	2 2 1
SN 519	85	--	170	345	100	35	53	112	140	210	290	--	--	6	87	104	52	--	--	M20	--	1219 K 2219 K	22219 K	H 219 H 319	HE 219 HE 319	SR 170×10.5 SR 170×10	2 1
SN SSN 520	90	3 1/2	180	380	110	40	70.3	112	160	218	320	60	90	7	92	111	54	165	224	M24	M16	2220 K	22220 K 23220 K	H 320 H 2320	HE 320 HE 2320	SR 180×12.1 SR 180×10	2 1
SN SSN 522	100	4	200	410	120	45	80	125	175	240	350	70	92	8	102	125	60	180	232	M24	M16	2222 K	22222 K 23222 K	H 322 H 2322	HE 322 HE 2322	SR 200×13.5 SR 200×10	2 1
SN SSN 524	110	4 1/4	215	410	120	45	86	140	185	270	350	70	95	8	113	135	64	190	248	M24	M16	--	22224 K 23224 K	H 3124 H 2324	HE 3124 HE 2324	SR 215×14 SR 215×10	2 1
SN SSN 526	115	4 1/2	230	445	130	50	90	150	190	290	380	70	100	8	118	140	64	195	268	M24	M20	--	22226 K 23226 K	H 3126 H 2326	HE 3126 HE 2326	SR 230×13 SR 230×10	2 1
SN SSN 528	125	5	250	500	150	50	98	150	205	305	420	80	108	9	128	154	70	210	286	M30	M24	--	22228 K 23228 K	H 3128 H 2328	HE 3128 HE 2328	SR 250×15 SR 250×10	2 1
SN SSN 530	135	5 1/4	270	530	160	60	106	160	220	325	450	90	113	9	138	164	76	225	304	M30	M24	--	22230 K 23230 K	H 3130 H 2330	HE 3130 HE 2330	SR 270×16.5 SR 270×10	2 1
SN SSN 532	140	5 1/2	290	550	160	60	114	170	235	345	470	90	122	10	143	173	80	240	320	M30	M24	--	22232 K 23232 K	H 3132 H 2332	HE 3132 HE 2332	SR 290×17 SR 290×10	2 1


SN-SSN 600 Series



Unit:mm

Housing No.		Shaft Dia. d1		D	a	b	c	g	h	L	w	m	n	Z	X	L1	L2	S		Bearing No.		Adapter Sleeve		Locating Ring	
		mm	Inch															2 Bolt	4 Bolt	Self-Alig. Ball	Spherical Roller	Metric	Imperial	Number	Q,ty
SN SSN	607	30	1 1/8	80	205	60	25	41	60	90	110	170	--	--	32	95	--	M12	--	1307 K 2307 K	--	H 307 H 2307	HE 307 HE 2307	SR 80×10 SR 80×10	2 1
SN SSN	608	35	1 1/4	90	205	60	25	43	60	95	115	170	--	--	34	100	--	M12	--	1308 K 2308 K	21308 K 22308 K	H 308 H 2308	HE 308 HE 2308	SR 90×10 SR 90×10	2 1
SN SSN	609	40	1 1/2	100	255	70	28	46	70	105	130	210	--	--	36	110	--	M16	--	1309 K 2309 K	21309 K 22309 K	H 309 H 2309	HE 309 HE 2309	SR 100×10.5 SR 100×10	2 1
SN SSN	610	45	1 3/4	110	255	70	30	50	70	115	135	210	--	--	39	120	--	M16	--	1310 K 2310 K	21310 K 22310 K	H 310 H 2310	HE 310 HE 2310	SR 110×11.5 SR 110×10	2 1
SN SSN	611	50	2	120	275	80	30	53	80	120	150	230	40	69	40	125	185	M16	M12	1311 K 2311 K	21311 K 22311 K	H 311 H 2311	HE 311 HE 2311	SR 120×12 SR 120×10	2 1
SN SSN	612	55	2 1/8	130	280	80	30	56	80	125	155	230	40	69	44	130	185	M16	M12	1312 K 2312 K	21312 K 22312 K	H 312 H 2312	HE 312 HE 2312	SR 130×12.5 SR 130×10	2 1
SN SSN	613	60	2 1/4	140	315	90	32	58	95	130	175	260	50	74	46	135	200	M20	M16	1313 K 2313 K	21313 K 22313 K	H 313 H 2313	HE 313 HE 2313	SR 140×12.5 SR 140×10	2 1
SN SSN	615	65	2 1/2	160	345	100	35	65	100	140	195	290	50	79	51	145	210	M20	M16	1315 K 2315 K	21315 K 22315 K	H 315 H 2315	HE 315 HE 2315	SR 160×14 SR 160×10	2 1
SN SSN	616	70	2 3/4	170	345	100	35	68	112	145	212	290	50	79	52	150	210	M20	M16	1316 K 2316 K	21316 K 22316 K	H 316 H 2316	HE 316 HE 2316	SR 170×14.5 SR 170×10	2 1
SN SSN	617	75	3	180	380	110	40	70	112	155	218	320	60	89	56	160	220	M24	M16	1317 K 2317 K	21317 K 22317 K	H 317 H 2317	HE 317 HE 2317	SR 180×14.5 SR 180×10	2 1
SN SSN	618	80	3 1/4	190	400	110	33	74	112	160	230	320	60	92	58	165	225	M24	M16	1318 K 2318 K	22318 K	H 318 H 2318	HE 318 HE 2318	SR 190×15.5 SR 190×10	2 1
SN SSN	619	85	--	200	420	120	36	77	125	170	245	350	70	--	60	175	235	M24	M16	1319 K 2319 K	22319 K	H 319 H 2319	HE 319 HE 2319	SR 200×16 SR 200×10	2 1
SN SSN	620	90	3 1/2	215	420	120	38	83	140	175	280	350	70	97	64	180	240	M24	M16	1320 K 2320 K	22320 K	H 320 H 2320	HE 320 HE 2320	SR 215×18 SR 215×10	2 1
SN SSN	622	100	4	240	460	130	40	90	150	190	300	390	70	109	69	195	258	M24	M16	1322 K 2322 K	22322 K	H 322 H 2322	HE 322 HE 2322	SR 240×20 SR 240×10	2 1
SN SSN	624	110	4 1/4	260	540	160	50	96	160	205	325	450	90	114	73	210	280	M30	M20	--	22324 K	H 2324	HE 2324	SR 260×10	1
SN SSN	626	115	4 1/2	280	560	160	50	103	170	215	350	470	90	118	77	220	300	M30	M20	--	22326 K	H 2326	HE 2326	SR 280×10	1
SN SSN	628	125	5	300	630	170	55	112	180	235	375	520	90	128	83	240	320	M30	M20	--	22328 K	H 2328	HE 2328	SR 300×10	1
SN SSN	630	135	5 1/4	320	680	180	55	118	190	245	395	560	90	134	88	250	340	M30	M20	--	22330 K	H 2330	HE 2330	SR 320×10	1
SN SSN	632	140	5 1/2	340	710	190	60	124	200	255	415	580	100	139	93	260	350	M36	M24	--	22332 K	H 2332	HE 2332	SR 340×10	1

SD 3000 Series (Europe Spec,)



☆ Unless specified "B" type open housing will be supplied.
訂購時未註明"A：一邊封閉"，一律以"B：貫通型"供應。

Unit:mm

Housing No.	Shaft Dia. d1	D	a	b	c	g	h	L	L1	w	m	n	u	v	J	x	Z	S Bolt	Bearing No.	Adapter Sleeve	Locating Ring	
																					Number	Q,ty
SD 3036	160	280	510	180	70	108	170	230	308	335	430	100	30	42	14	60	123	M24	23036 K	H 3036	SR 280×17	2
SD 3038	170	290	530	190	75	95	180	240	334	355	450	110	30	42	15	60	128	M24	23038 K	H 3038	SR 290×10	2
SD 3040	180	310	560	210	80	102	190	260	336	375	480	120	30	42	10	72	129	M24	23040 K	H 3040	SR 310×10	2
SD 3044	200	340	610	230	85	110	210	280	360	410	510	130	37	51	10	77	139	M30	23044 K	H 3044	SR 340×10	2
SD 3048	220	360	640	240	90	112	220	290	368	435	540	140	37	51	12	80	143	M30	23048 K	H 3048	SR 360×10	2
SD 3052	240	400	700	260	95	124	240	310	382	475	600	150	37	51	12	87	153	M30	23052 K	H 3052	SR 400×10	2
SD 3056	260	420	770	280	100	126	260	320	400	515	650	160	43	60	13	90	162	M36	23056 K	H 3056	SR 420×10	2
SD 3060	280	460	790	280	105	138	280	320	400	550	670	160	43	60	16	97	162	M36	23060 K	H 3060	SR 460×10	2
SD 3064	300	480	830	310	110	141	300	350	426	590	710	190	43	60	22	97	175	M36	23064 K	H 3064	SR 480×10	2
SD 3068	320	520	880	330	115	153	320	370	448	630	750	200	43	62	23	104	186	M36	23068 K	H 3068	SR 520×10	2
SD 3072	340	540	880	330	115	154	320	370	450	630	750	200	43	62	23	104	186	M36	23072 K	H 3072	SR 540×10	2
SD 3076	360	560	950	360	120	155	340	400	488	675	810	220	43	62	24	110	205	M36	23076 K	H 3076	SR 560×10	2
SD 3080	380	600	1000	360	120	168	350	400	488	695	840	220	43	62	30	120	205	M36	23080 K	H 3080	SR 600×10	2
SD 3084	400	620	1040	360	120	170	360	400	518	715	870	220	43	62	30	120	220	M36	23084 K	H 3084	SR 620×10	2
SD 3088	410	650	1120	390	125	177	380	430	533	755	950	240	50	70	30	135	233	M42	23088 K	H 3088	SR 650×10	2
SD 3092	430	680	1170	420	130	183	410	460	558	810	1000	260	50	70	35	140	238	M42	23092 K	H 3092	SR 680×10	2
SD 3096	450	700	1170	420	130	185	410	460	558	810	1000	260	50	70	35	140	238	M42	23096 K	H 3096	SR 700×10	2